

Hand shower set with integrated shower holder

IMO

27 802 970



Fits: IMO, MEM, CL.1, CYO

- normal flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 15 l/min
- WRAS: 1912049

Intrinsic protection against back flow.

	Chrome	27 802 970-00
	Brushed Platinum	27 802 970-06
	Platinum	27 802 970-08
	Dark Chrome	27 802 970-19
	Brushed Durabronze (23kt Gold)	27 802 970-28
	Matte Black	27 802 970-33
	Brushed Champagne (22kt Gold)	27 802 970-46
	Champagne (22kt Gold)	27 802 970-47
	Brushed Chrome	27 802 970-93
	Brushed Dark Platinum	27 802 970-99

Recommended miscellaneous




Concealed wall elbow

35 085 970 90

- min. recess depth 90 mm
- max. recess depth 163 mm

27 802 970


mm [inches]



Flow rate chart



27 802 970



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 019 979-00	Hand shower	1	2
2	28 490 970-00	Wall elbow with integrated shower holder	1	10
3	90 30 02 072 00-00	Metal shower hose 1/2" x 3/8" x 1250 mm	1	10
4	09 14 20 026 90	seal	1	10