

Hand shower set with individual rosettes with volume control

IMO

27 809 985



Fits: IMO, MEM, CL.1, CYO

- with volume control
- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

	Chrome	27 809 985-00
	Brushed Platinum	27 809 985-06
	Platinum	27 809 985-08
	Brushed Durabronze (23kt Gold)	27 809 985-28
	Brushed Champagne (22kt Gold)	27 809 985-46
	Champagne (22kt Gold)	27 809 985-47
	Brushed Chrome	27 809 985-93
	Brushed Dark Platinum	27 809 985-99

Recommended miscellaneous




Concealed wall elbow

35 085 970 90


- min. recess depth 90 mm
- max. recess depth 163 mm

27 809 985


mm [inches]



Flow rate chart



27 809 985



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 451 985-00	connection	1	60
2	09 14 20 026 90	seal	1	10
3	28 050 980-00	Wall bracket	1	10
4	90 30 02 072 00-00	Metal shower hose 1/2" x 3/8" x 1250 mm	1	10
5	28 019 979-00	Hand shower	1	2